ABSTRACT OF THE DISCLOSURE

A method of surface treating a polyimide film to impart improved adhesion to metal which comprises treating the surface of a polyimide film having a biphenyltetracarboxylic acid component by contact to a solution containing potassium permanganate and/or sodium permanganate and potassium hydroxide and/or sodium hydroxide and treating said surface with an acid.